

NEW HANOVER

TOWNSHIP

2943 N. CHARLOTTE STREET
GILBERTSVILLE, PA 19525
610 327-2535

PERMIT NO. _____

CURB & SIDEWALK PERMIT APPLICATION

Property Owner _____ Phone # _____

Address _____

Property Location _____

Contractor _____

Address _____ Phone # _____

DESCRIPTION OF WORK: Residential Commercial Public Building

CURB: Lineal feet to be installed _____

SIDEWALK: Replacement Repair
Length _____ Width _____ Thickness _____

Depth of Stonebase _____

Width of Grass Plot between curb and sidewalk _____

Will a drainpipe be installed under the sidewalk and thru the curb? Yes No

DRIVEWAY ENTRANCE:

Width of Entrance _____

Depth of Concrete _____ Depth of Stone Base _____

Will the entrance be a Depressed Curb Curb Radius

Date Submitted


Applicant's Signature

Date Approved


Code Enforcement Officer

NOTE: PLEASE CALL FOR INSPECTION PRIOR TO POURING CONCRETE


EXHIBIT A




TYPICAL CURB & SIDEWALK SECTION




TYPICAL CONCRETE CURB & SIDEWALK CORNER



PLAN - DEPRESSED CURB DRIVE ENTRANCE



SECTION A-A



SECTION B-B

NOTES

1. 1/2" PREMOLDED EXPANSION JOINTS EVERY 30' OR LESS ON SIDEWALK AND 60' OR LESS ON CURB.
2. CONTRACTION JOINT - SCORE SIDEWALK EVERY 5 LINEAL FEET AND CURB EVERY 10 FEET.
3. CONCRETE STRENGTH - 3500 P.S.I.
4. 4 INCHES OF AASHTO NO. 57 (PA DOT 2B) CRUSHED STONE TO BE USED AS BASE MATERIAL FOR ALL SIDEWALKS, CURBS AND DRIVEWAYS.

ORDINANCE PLAN FOR			
CURB, SIDEWALK, HANDICAP			
RAMP AND DRIVEWAY CONSTRUCTION			
NEW HANOVER TOWNSHIP			
MONTGOMERY CO., PENNA.			
D.A.D. DRAWN BY	D.B. CHKD.	4/95	B-01
		DATE	PLAN NUMBER



MOTLEY ENGINEERING CO.
consulting engineers
1300 NEW HOLLAND RD.
KENHORST PA. 19607